



**BUILDING RESEARCH INSTITUTE
CERTIFICATION DEPARTMENT**

ul. FILTROWA 1, 00-611 WARSZAWA
ph.: +48 (22) 57 96 167, +48 (22) 57 96 168, fax: +48 (22) 57 96 295
e-mail: certyfikacja@itb.pl, www.itb.pl



EC CERTIFICATE OF CONFORMITY

1488-CPD-0245/W

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products, amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

REX COLD FORGED WEDGE ANCHOR

**in sizes of M6, M8, M10, M12 M16 - an anchor made of galvanized steel
which is placed into a drill hole and anchored by torque-controlled expansion**

Anchor is to be used in structures subjected to dry internal conditions and only for anchorages subject to static or quasi-static loading in reinforced or unreinforced normal weight concrete of strength classes C20/25 at minimum and C50/60 at maximum according to EN 206-1.

The anchor may be anchored in non-cracked concrete only.

placed on the market by

**REX FASTENING SYSTEMS (H.K.)LTD.
UNIT 2005,20/F,ENETERPRISE SQUARE III
39 WANG CHIU ROAD KOWLOON BAY
HONG KONG**

and produced in the factory

86-131

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body - *Building Research Institute* - has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in the ETA:

ETA-12/0007

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 14.03.2012 and remains valid until 28.02.2017 provided that the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

HEAD
of the Certification Department

Barbara Dobosz



Warsaw, 14.03.2012

DIRECTOR
of the Building Research Institute

Marek Kaproń